

Phildar.

PASCALE Cardigan

Yarn P. PARTNER 3,5 col. VÉRONÈSE
Pattern details sizes 34/36 to 50/52

Sheet 220 T22 473

4

Expert Level



056581



Photo is non-contractual

« EXCLUSIVE MODELS » all commercial reproduction is prohibited without special authorisation from **PHILDAR**
PP YARNS & Co Editeur RCS 808 534 895 ©PHILDAR 2022



Expert Level

19

PASCALE CARDIGAN

N° 220 - T22 - 473

4

PLEASE REMEMBER TO GAUGE SWATCH

10 cm of horizontal cables, on 4 mm crochet hook = 22 sts., 11 rws = 6,5 cm
18 sts. of navette stitch on 4 mm crochet hook = 11 cm, 12 rws = 10 cm

YARN	COLOUR	34/36	38/40	42/44	46/48	50/52
P. PARTNER 3,5	VERONESE	16	17	18	19	20

Yarn composition: 50 % Polyamide - 25 % Worsted Wool - 25 % Acrylic

TOOLS & MATERIALS

4 mm crochet hook
Stitch markers + 1 tapestry needle

«Don't skip the gauge swatch if you want to be sure that your finished piece is top-notch!»

STITCH PATTERNS USED

Please refer to the crochet chart symbols on the last page for the following stitches:

Chain stitch (ch) or starting chain - Slip stitch (sl. st.)

UK: Double crochet (dc) / US: Single crochet (sc)

UK: Treble crochet (tr) / US: Double crochet (dc)

UK: Half treble crochet (htr) / US: Half double crochet (hdc)

UK: Triple treble crochet (trtr) / US: Double treble crochet (dtr)

Horizontal (crochet) cables (see chart A)

Done on multiples of 3 + 2 sts.:

1st rw: make all sts. in (dc)/(sc)

2nd to 5th rw: make all sts. in (dc)/(sc) ribbing, by inserting your hook into the back leg of the st. from the last row.

6th rw: ch 3 for the 1st (tr)/(dc), *skip 2 sts., 1 (trtr)/(dtr), make 1 (tr)/(dc) on each of the 2 sts. you just skipped and on the same st. as the (trtr)/(dtr) you just made, by passing in front of the sts.* rep. from *to*, finish off with 1 (tr)/(dc) on the 1st st. from the last row.

7th rw: ch 3 for the 1st (tr)/(dc), *skip 3 sts., 1 (trtr)/(dtr) on the (trtr)/(dtr) st. from the last rw, make 1 (tr)/(dc) on each of the 3 (tr)/(dc) sts. you just skipped by going behind the (trtr)/(dtr) st.* rep. from *to*, finish off with 1 (tr)/(dc) on the 3rd ch st. from the last row.

8th rw: make all sts. in (dc)/(sc), by inserting your hook into the back leg of each (tr)/(dc) st. (skip all (trtr)/(dtr) sts.)

9th, 10th, 11th rws: make all sts. in (dc)/(sc) ribbing, by inserting your hook into the back leg of the st. from the last row.

Navette (crochet) stitch:

Starts with multiples of 3:

Navette: *1 YO, insert your hook from right to left under 1 (tr)/(dc), 1 YO, pull out a long loop* rep. from *to* 2 times tot., 1 YO and pull through 4 loops, 1 YO and pull through the last 2 loops.

1st rw: make all sts. in (tr)/(dc).

2nd rw: ch 3 for the 1st (tr)/(dc), 2 (tr)/(dc), *1 navette by ins. your hook under the same st. 1 rw under, 3 (tr)/(dc)*, rep. from *to*.

3rd rw: ch 3 for the 1st (tr)/(dc), 2 (tr)/(dc), *skip 1 st., 3 (tr)/(dc)* rep. from *to*.

4th rw: ch 3 for the 1st (tr)/(dc), 1 (tr)/(dc), *1 navette by ins. your hook under the same st. 2 rws under, 3 (tr)/(dc)* rep. from *to*, then 1 (tr)/(dc).

5th rw: ch 3 for the 1st (tr)/(dc), *3 (tr)/(dc), skip 1 st.* rep. from *to*, then 2 (tr)/(dc).

6th rw: ch 3 for the 1st (tr)/(dc), *3 (tr)/(dc), 1 navette by ins. your hook under the same st. 2 rws under*, rep. from *to*, then 2 (tr)/(dc).

7th rw: ch 3 for the 1st (tr)/(dc), 1 (tr)/(dc), *skip 1 st., 3 (tr)/(dc)* rep. from *to*, then 1 (tr)/(dc).

8th rw: ch 3 for the 1st (tr)/(dc), 2 (tr)/(dc), *1 navette by ins. your hook under the same st. 2 rws under, 3 (tr)/(dc)* rep. from *to*.

9th rw: ch 3 for the 1st (tr)/(dc), 2 (tr)/(dc), *skip 1 st., 3 (tr)/(dc)* rep. from *to*.

Always repeat rws 4 to 9 (6 rws).

CONSTRUCTION

Since UK and US crochet terminology differs, these have been colour-coded. Choose what you're most familiar with; UK / US.

BODY

With your 4 mm crochet hook, make a starting chain of 153 - 165 - 177 - 189 - 213 ch sts., then work in navette stitch (see chart, stitch patterns used).

Armholes

At a tot. height of 26 cm, separate your work into 3 parts:

RIGHT HALF FRONT PIECE

Cont. crocheting on the 27 - 30 - 33 - 36 - 42 sts. to the right.

Shoulder

At a tot. height of 46 - 47 - 48 - 49 - 50 cm, stop your work.

Repeat the same steps, on the last 27 - 30 - 33 - 36 - 42 sts., for the left half front piece.

BACK

Work on the 69 - 75 - 81 - 87 - 99 centr. sts. (we have 15 sts. per armhole)

Neckline and shoulder

At a tot. height of 46 - 47 - 48 - 49 - 50 cm, stop your work and PM for the 15 centr. sts. to indicate the neckline.

SLEEVES

With your 4 mm crochet hook, make a starting chain of 51 - 54 - 57 - 60 - 63 ch sts., then work in navette stitch (see chart, stitch patterns used).

Inc. 1 st. on each side (reconstructing the stitch p. as the inc. are made):

every 6 rws: 7 times and 4 rws above: 1 time.

every 6 rws: 6 times and every 4 rws: 2 times.

every 6 rws: 6 times and every 4 rws: 2 times.

every 6 rws: 5 times and every 4 rws: 3 times.

every 6 rws: 4 times and every 4 rws: 4 times.

We have: 67 - 70 - 73 - 76 - 79 sts.

At a tot. height of 41 - 40,5 - 39,5 - 38,5 - 36,5 cm, PM on the sides (selvedge sts.)

At a tot. height of 46 - 45,5 - 44,5 - 43,5 - 41,5 cm, stop your work.

BOTTOM HEM FOR THE BODY

Worked in 2 parts:

For half of the back (left side) and the left half front piece:

With your 4 mm crochet hook, make a starting chain of 101 - 107 - 116 - 125 - 137 ch sts., make 11 rws of horizontal cables (see stitch patterns, chart A), then stop your work.

For half of the back (right side) and the right half front piece:

Repeat the same steps, but by following chart B.

Join the 2 bands that will shape the hem.

NECKBAND AND BUTTON BANDS (WITHOUT BUTTONS)

Worked in 2 parts:

For the right half front and half of the back neckline:

With your 4 mm crochet hook, make a starting chain of 125 - 128 - 131 - 134 - 137 ch sts., make 11 rws of horizontal cables (see stitch patterns, chart A), then stop your work.

For the left half front and half of the back neckline:

Repeat the same steps, but by following chart B.

Join the 2 bands.

CUFF BANDS FOR THE BOTTOM OF THE SLEEVES

For the left sleeve:

With your 4 mm crochet hook, make a starting chain of 56 - 59 - 62 - 68 - 71 ch sts., make 11 rws of horizontal cables (see stitch patterns, chart A), then stop your work.

For the right sleeve:

Repeat the same steps, but by following chart B.


SEAMING

Seam the shoulders.

Sew the bottom hem onto the body, then the neckband and button bands (without buttons) onto the two half front pieces and the back of the neckline. Sew the cuff bands onto the bottom of the sleeves, then seam the underarms until the stitch markers you left in place.


Attach the sleeves to the body by placing the part above the stitch markers onto the stitches marked for the armholes.

Back and front pieces (halves)




Measurements in cm

Sleeves



Navette (crochet) stitch chart



○ = chain stitch (ch)

⊕ = UK: Treble crochet (tr) /
US: Double crochet (dc)

⬭ = navette (see stitch patterns used)

Keep repeating the 4 sts. and 9 rws, highlighted by the yellow box

Horizontal crochet cables

Chart A





Chart B



○ = chain stitch (ch)

⊗ = RIBBED (dc)/(sc) (see explanation)
UK: Double crochet (dc) /
US: Single crochet (sc)

⊕ = UK: Treble crochet (tr) /
US: Double crochet (dc)

⊕ = UK: Triple treble crochet
US: Double treble crochet (dtr)
(see explanation)

Keep repeating the coloured rectangles