

Phildar.

FANNY Sweater

Yarn P. PARTNER 3,5 col. NATUREL CHINÉ
Pattern details sizes 34/36 to 50/52

Sheet T23 528

3.5

Expert Level



Photo is non-contractual

« EXCLUSIVE MODELS » all commercial reproduction is prohibited without special authorisation from PHILDAR
PP YARNS & Co Editeur RCS 808 534 895 ©PHILDAR 2022

FANNY SWEATER

T23 - 528



Expert
Level



Estimated time 30 hours
or more to finish

To knit this project, you'll need:

Size 34/36: 10 skeins of PHIL PARTNER 3,5 in the colourway NATUREL CHINE or ECRU

Size 38/40: 11 skeins of PHIL PARTNER 3,5 in the colourway NATUREL CHINE or ECRU

Size 42/44: 12 skeins of PHIL PARTNER 3,5 in the colourway NATUREL CHINE or ECRU

Size 46/48: 13 skeins of PHIL PARTNER 3,5 in the colourway NATUREL CHINE or ECRU

Size 50/52: 14 skeins of PHIL PARTNER 3,5 in the colourway NATUREL CHINE or ECRU

Yarn composition: 50 % Polyamide - 25 % Worsted Wool - 25 % Acrylic

Tools and materials needed:

PPY knitting needles n° 3 and n° 3,5 (3 mm, 3,5 mm) or other sizes following your gauge swatch

1 cable needle

Stitch markers + 1 tapestry needle

Gauge swatch & obtaining the right dimensions for your project:

When knitting your gauge swatch, it's always best to do so "in pattern". For this model we'll be using stockinette and your 3,5 mm needles. 23 sts. (stitches) and 30 rws (rows) = a square of 10 cm x 10 cm.

15 sts. of the wishbone stitch pattern (chart 1) = 7,5 cm and 20 rws = 6,5 cm
44 sts. of the cables stitch pattern (chart 2) on 3,5 mm needles = 16,5 cm and 30 rws = 10 cm.

Stitch patterns used:

2/1 ribbing (K2, P1)

Garter stitch

Wishbone stitch pattern: (see chart 1)

Cables stitch pattern: (see chart 2)

Stockinette

CONSTRUCTION

The different size options have been colour-coded in order to help you follow the instructions for the size you wish to knit with more ease.

KNITTING THE BACK PIECE

Step 1: With your 3,5 mm needles, CO (cast on) 107 - 113 - 122 - 128 - 141 sts., knit in garter stitch for 3 cm.

Step 2: Start knitting in the wishbone stitch pattern (see chart 1) using your 3,5 mm needles, starting with: K1, then the 1st st. from the chart - K4, then the 1st st. from the chart - K1, then the 1st st. from the chart - K4, then the 1st st. from the chart - K3, then the 1st st. from the chart.

Knit the 62 rws of the chart then cont. (continue) in stockinette and the wishbone stitch pattern (see chart 2) while distributing in the 1st rw: 21 - 21 - 24 - 24 - 25 inc. (increases), organise your sts. in the following way: 42 - 45 - 51 - 54 - 61 sts. of stockinette, the 44 sts. of the wishbone stitch pattern, then 42 - 45 - 51 - 54 - 61 sts. of stockinette.

We have: 128 - 134 - 146 - 152 - 166 sts.

Cont. knitting until you've reached a tot. height of 35 cm.

Step 3: PM (place stitch marker) on the selvedge sts. (the first and last stitch of the rw), indicating the armholes.

Step 4: At a tot. height of 49 - 50 - 51 - 52 - 53 cm, cont. by knitting all sts. in garter stitch.

Step 5: At a tot. height of 50 - 51 - 52 - 53 - 54 cm, shape the neckline by BO (binding off) the 18 - 18 - 18 - 20 - 20 centr. (central) sts. then work one side at a time, BO on the neckline side every 2 rws: 1 x 6 sts. and 2 x 5 sts.

Step 6: At a tot. height of 52 - 53 - 54 - 55 - 56 cm, BO the 39 - 42 - 48 - 50 - 57 sts. remaining for the shoulder.

KNITTING THE FRONT PIECE

Step 1: With your 3,5 mm needles, CO 107 - 113 - 122 - 128 - 141 sts., knit in garter stitch for 3 cm.

Step 2: Start knitting in the wishbone stitch pattern (see chart 1) using your 3,5 mm needles, starting with: K1, then the 1st st. from the chart - K4, then the 1st st. from the chart - K1, then the 1st st. from the chart - K4, then the 1st st. from the chart - K3, then the 1st st. from the chart.

Knit the 62 rws of the chart then cont. in stockinette and the wishbone stitch pattern (see chart 2) while distributing in the 1st rw: 21 - 21 - 24 - 24 - 25 inc., organise your sts. in the following way: 42 - 45 - 51 - 54 - 61 sts. of stockinette, the 44 sts. of the wishbone stitch pattern, then 42 - 45 - 51 - 54 - 61 sts. of stockinette.

We have: 128 - 134 - 146 - 152 - 166 sts.

Cont. knitting until you've reached a tot. height of 35 cm.

Step 3: PM on the selvedge sts. (the first and last stitch of the rw), indicating the armholes..

Step 4: At a tot. height of 48 - 49 - 50 - 51 - 52 cm, shape the neckline by BO the 18 - 18 - 18 - 20 - 20 centr. sts. then work one side at a time, BO on the neckline side every 2 rws: 1 x 5 sts., 1 x 4 sts., 1 x 3 sts., 1 x 2 sts. and 2 x 1 st.

Step 5: Simultaneously, at a tot. height of 49 - 50 - 51 - 52 - 53 cm, cont. by knitting all sts. in garter stitch.

Step 6: At a tot. height of 52 - 53 - 54 - 55 - 56 cm, BO the 39 - 42 - 48 - 50 - 57 sts. remaining for the shoulder.

KNITTING THE SLEEVES

Step 1: With your 3 mm needles, CO 47 - 53 - 56 - 62 - 68 sts., knit in 2/1 ribbing (see stitch patterns used) starting and ending the 1st rw with K2. Knit in 2/1 ribbing for 5 cm then make 1 purl rw on the WS (wrong side) while distributing: 15 - 9 - 10 - 15 - 9 inc. on this rw.

We have: 62 - 62 - 66 - 77 - 77 sts.

Step 2: Start knitting in the wishbone stitch pattern (see chart 1) using your 3,5 mm needles, starting with: K1 - K1 - K3 - K1 - K1 then the 1st st. from the chart.

Knit the 62 rws of the chart then cont. in stockinette while distributing on the 1st rw: 10 - 10 - 10 - 11 - 11 inc., then inc. 1 st. on each side:

every 20 rws: 3 times

every 14 rws: 4 times and 12 rws above: 1 time

every 14 rws: 2 times and every 12 rws: 3 times

every 24 rws: 2 times

every 14 rws: 4 times

We have: 78 - 82 - 86 - 92 - 96 sts.

Step 3: At a tot. height of 52 - 51,5 - 50,5 - 49,5 - 47,5 cm, BO all sts.

Knit the second sleeve in the same way.

KNITTING THE NECKBAND


Step 1: With your 3 mm needles, CO 92 - 92 - 92 - 95 - 95 sts., knit in 2/1 ribbing (see stitch patterns used) starting and ending the 1st rw with K2. Knit in 2/1 ribbing for 6 cm then make 1 rw of knit sts. on the RS (right side) and a few rws of stockinette in a diff. col.

Step 3: Using backstitch, sew the collar onto the RS of your work, stitch by stitch. Then fold in half towards the inside and fasten the collar using an invisible stitch.

SEAMING & FINISHING TOUCHES

Step 1: Seam the shoulders, attach the sleeves to the armholes between the marked stitches.

Step 2: Seam the sides and the underarms.



All measurements in cm

→ = reading direction

□ or □ = RS: K1 / WS: P1

▢ = RS: P1 / WS: K1

⊗ = YO (yarn over)

⊠ = K2tog (knit 2 sts. together).

⊞ = skpo (meaning: slip 1 st., K1, pass the slipped st. over the knitted st.)


▤ = C6F / cable 6 front (left leaning cable done over 6 sts.; K3, K3) = RS: slip 3 sts. to cn. (cable needle) and hold in front (of your work), K3 then K3 from cn.

▥ = C6B / cable 6 back (right leaning cable done over 6 sts.; K3, K3) = RS: slip 3 sts. to cn. (cable needle) and hold back (behind your work), K3 then K3 from cn.

▦ = C8B / cable 8 back (right leaning cable done over 8 sts.; K4, K4) = RS: slip 4 sts. to cn. (cable needle) and hold back (behind your work), K4 then K4 from cn.

▧ = C8F / cable 8 front (left leaning cable done over 8 sts.; K4, K4) = RS: slip 4 sts. to cn. (cable needle) and hold in front (of your work), K4 then K4 from cn.

Wishbone stitch pattern chart (1)



Cables stitch pattern chart (2)

