

HEULALIE Dress

Fiche 272 t26 070

2.5

Intermediate level



065091



YARN	COLOR	34/36	38/40	42/44
PHIL PERLE 5	JAUNE D'OR	11	12	13

STITCHES:

Chain stitch (ch)
 Single crochet (sc) - Double crochet (dc)
 Double crochet 2 together (dc2tog)
 Double crochet 3 together (dc3tog)
 Double crochet mesh stitch

Nr 13 HEULALIE DRESS

272 - T26 - 070



Intermediate level



Crochet

TENSION SQUARE

28 sts and 14 rows to 10 cm, measured over double crochet and double crochet mesh stitch using a 2.5 mm crochet hook

YARN	COLOR	34/36	38/40	42/44
PHIL PERLE 5	JAUNE D'OR	11	12	13

Composition: 100% cotton

MATERIALS:

In the PPY range:

2.5 mm crochet hook (or other, depending on your tension square)

Stitch markers

Yarn needle

STITCHES (US terms - refer to the glossary for instructions on the basic stitches):

Chain stitch (ch)

Single crochet (sc)

Double crochet (dc)

Double crochet 2 together (dc2tog)

Double crochet 3 together (dc3tog)

Double crochet mesh stitch: 1 dc, ch 1, skip 1

Double decrease = dc3tog

INSTRUCTIONS

Follow the instructions in the color that corresponds to the size you are knitting

BACK

Step 1: Using a 2.5 mm crochet hook, ch 187 - 195 - 207. Turn, then work in dc and dc mesh st (see charts).

Step 2: When your work measures 16 cm from the beginning, decrease on each edge (= dc3tog): 1 dble dec, then every 10 rows, 1 dble dec twice, every 8 rows, 1 dble dec 5 times, every 6 rows, 1 dble dec 5 times, every 4 rows, 1 dble dec 4 times.

Total sts: 119 - 127 - 139 sts

Step 3: When your work measures 95 cm from the beginning, shape the armholes. On each edge, leave the following sts unworked:

4 sts, then on the following rows, 4 sts once and 2 sts 4 times

4 sts, then on the following rows, 4 sts once and 2 sts 5 times

4 sts, then on the following rows, 4 sts twice and 2 sts 5 times

To leave 4 sts unworked at the start of a row: 2 sl sts, 1 sc and 1 hdc.

To leave 4 sts unworked at the end of a row: 1 hdc and 1 sc, then turn and work these 2 sts in sl st to begin the next row.

To leave 2 sts unworked at the start of a row: 1 sc and 1 hdc.

To leave 2 sts unworked at the end of a row: 1 hdc and 1 sc, then turn and work these 2 sts in sl st to begin the next row.

Total sts: 87 - 91 - 95 sts

Step 4: When your work measures 99.5 - 100.5 - 101.5 cm from the beginning, shape the neck. Leave the center st unworked and finish 1 side at a time. Work (see chart): 1 dble dec, then in the next row, work 1 dble dec, then every 2 rows, work 1 dble dec 8 times.

Step 5: When your work measures 113 - 114 - 115 cm from the beginning (total sts: 23 - 25 - 27), fasten off.

Step 6: Finish the other side of the neck in the same way.

FRONT

Step 1: Using a 2.5 mm crochet hook, ch 187 - 195 - 207. Turn, then work in dc and dc mesh st (see chart).

Step 2: When your work measures 16 cm from the beginning, decrease on each edge (= dc3tog): 1 dble dec, then every 10 rows, 1 dble dec twice, every 8 rows, 1 dble dec 5 times, every 6 rows, 1 dble dec 5 times, every 4 rows, 1 dble dec 4 times.

Total sts: 119 - 127 - 139 sts

Step 3: When your work measures 95 cm from the beginning, shape the armholes. On each edge, leave the following sts unworked:

4 sts, then on the following rows, 4 sts once and 2 sts 4 times

4 sts, then on the following rows, 4 sts once and 2 sts 5 times

4 sts, then on the following rows, 4 sts twice and 2 sts 5 times

To leave 4 sts unworked at the start of a row: 2 sl sts, 1 sc and 1 hdc.

To leave 4 sts unworked at the end of a row: 1 hdc and 1 sc, then turn and work these 2 sts in sl st to begin the next row.

To leave 2 sts unworked at the start of a row: 1 sc and 1 hdc.

To leave 2 sts unworked at the end of a row: 1 hdc and 1 sc, then turn and work these 2 sts in sl st to begin the next row.

Total sts: 87 - 91 - 95 sts

Step 4: When your work measures 105 - 106 - 107 cm from the beginning, shape the neck. Leave the 25 center sts unworked and finish 1 side at a time. Work (see chart): 1 dble dec, then in the next rows, 1 dble dec twice and 2 rows higher, 1 dble dec.

Step 5: When your work measures 113 - 114 - 115 cm from the beginning (total sts: 23 - 25 - 27), fasten off.

Step 6: Finish the other side of the neck in the same way.


MAKE UP

Step 1: Sew the shoulder seams.


Step 2: Sew the side seams.

Step 3: Make 93 - 97 - 103 fringes at the bottom of the dress as follows: For each fringe, cut 4 strands of length 40 cm, fold them in 2 and tie them in a space in the dc mesh st (position them in every other space). Finally, trim all the ends to 15 cm.

Back



Front



Measurements indicated in the diagrams are in cm

Chart for back neck





Chart for front neck



	= ch
	= dc
	= 1 dc, ch 1, 1 dc
	= 3 dc, ch 1, 1 dc
	= 5 dc, ch 1, 1 dc
	= 7 dc, ch 1, 1 dc

or = dc2tog

Chart for Back

The chart shows the largest size, refer to the instructions for the armhole decreases in the other sizes.




Chart for Front

The chart shows the largest size, refer to the instructions for the armhole decreases in the other sizes.

