

TESSA Sweater

Fiche 278 T26 189



Intermediate level



065592



YARN	COLOR	2 yrs	4 yrs	6 yrs	8 yrs	10 yrs
P. CARESSE	IVOIRE or NUDE	4	5	6	6	7

STITCHES:
K2/P1 rib
Scalloped K2/P1 rib

Nr 18 TESSA SWEATER

278 - T26 - 189



Intermediate level



Back-and-forth knitting

ENSION SQUARE

29 sts to 10 cm and 63 rows to 20 cm measured over K2/P1 rib (slightly stretched), using 3.5 mm needles

YARN	COLOR	2 yrs	4 yrs	6 yrs	8 yrs	10 yrs
P. CARESSE	IVOIRE ou NUDE	4	5	6	6	7

Composition: 51% acrylic, 49% polyamide

MATERIALS:

In the PPY range:
1 pair of 3.5 mm knitting needles
Stitch markers
Yarn needle

STITCHES:

K2/P1 rib

Scalloped K2/P1 rib (see chart)

INSTRUCTIONS

Follow the instructions in the color that corresponds to the size you are knitting.

BACK

Step 1: Using 3.5 mm needles, cast on 89 - 97 - 107 - 113 - 119 sts and work in scalloped K2/P1 rib (see chart), beginning with 1 selvage st and the 1st - 3rd - 4th - 1st - 4th st in the chart.

Step 2: When the 5 rows in the chart have been worked, change to normal K2/P1 rib, beginning and ending the 1st row (WS) with P2 and K1 - K1 and P2 - P2 and K1 - P2 and K1 - P2 and K1

Step 3: When your work measures 19 - 21 - 23 - 25 - 28 cm from the beginning, shape the armholes. On each edge, bind off:

4 sts once, 3 sts once, 2 sts once and 1 st once, 4 rows higher, bind off 1 st once

4 sts once, 2 sts twice and 1 st twice, 4 rows higher, bind off 1 st once

4 sts once, 3 sts once, 2 sts once and 1 st 3 times, 4 rows higher, bind off 1 st once

4 sts once, 3 sts once, 2 sts once and 1 st 4 times, 4 rows higher, bind off 1 st once

4 sts once, 3 sts once, 2 sts once and 1 st 4 times, 4 rows higher, bind off 1 st once

Total: 67 - 75 - 81 - 85 - 91 sts

Step 4: When your work measures 31 - 35 - 39 - 42 - 46 cm from the beginning, shape the shoulder. On the armhole edge, bind off:

4 sts 4 times

4 sts once and 5 sts 3 times

5 sts 4 times

5 sts 3 times and 6 sts once

6 sts 4 times

At the same time as the 1st shoulder decrease, shape the neck. Bind off the center 19 - 19 - 21 - 21 - 21 sts, then finish 1 side at a time. On the neck edge, bind off:

4 sts twice

5 sts once and 4 sts once

5 sts twice

6 sts once and 5 sts once

6 sts once and 5 sts once

Finish the other side.

FRONT

Step 1: Using 3.5 mm needles, cast on 89 - 99 - 107 - 113 - 119 sts and work in scalloped K2/P1 rib (see chart), beginning with 1 selvage st and the 1st - 2nd - 4th - 1st - 4th st in the chart.

Step 2: When the 5 rows in the chart have been worked, change to normal K2/P1 rib, beginning and ending the 1st row (WS) with P2 and K1 - P1, K1 and P2 - P2 and K1 - P2 and K1 - P2 and K1 - P2 and K1

Step 3: When your work measures 19 - 21 - 23 - 25 - 28 cm from the beginning, shape the armholes. On each edge, bind off:

4 sts once, 3 sts once, 2 sts once and 1 st once, 4 rows higher, bind off 1 st once

4 sts once, 3 sts once, 2 sts once and 1 st twice, 4 rows higher, bind off 1 st once

4 sts once, 3 sts once, 2 sts once and 1 st 3 times, 4 rows higher, bind off 1 st once

4 sts once, 3 sts once, 2 sts once and 1 st 4 times, 4 rows higher, bind off 1 st once

4 sts once, 3 sts once, 2 sts once and 1 st 4 times, 4 rows higher, bind off 1 st once

Total: 67 - 75 - 81 - 85 - 91 sts

Step 4: When your work measures 29 - 33 - 36 - 39 - 43 cm from the beginning, shape the neck. Bind off the center 15 - 15 - 17 - 17 - 17 sts, then finish 1 side at a time. On the neck edge, bind off:

4 sts once, 3 sts once 2 sts once and 1 st once

5 sts once, 3 sts once 2 sts once and 1 st once

5 sts once, 3 sts once 2 sts once and 1 st twice

5 sts once, 3 sts once 2 sts once and 1 st 3 times

5 sts once, 3 sts once 2 sts once and 1 st 3 times

Step 5: When your work measures 31 - 35 - 39 - 42 - 46 cm from the beginning, shape the shoulder. On the armhole edge, bind off:

4 sts 4 times

4 sts once and 5 sts 3 times

5 sts 4 times

5 sts 3 times and 6 sts once

6 sts 4 times

Finish the other side of the neck.

SLEEVES

Step 1: Using 3.5 mm needles, cast on 51 - 53 - 57 - 59 - 63 sts and work in normal K2/P1 rib, beginning and ending with K1 - K2 - K1 - K2 - K1 (with P1 at the center).

Step 2: Increase on each edge (keeping the K2/P1 rib correct as you increase):

every 16 rows, inc 1 st twice, then 14 rows higher, inc 1 st once

12 rows higher, inc 1 st once, then every 10 rows, inc 1 st 5 times

every 12 rows, inc 1 st twice, then every 10 rows, inc 1 st 5 times

every 10 rows, inc 1 st 8 times, then 8 rows higher, inc 1 st once

every 10 rows, inc 1 st 9 times, then 8 rows higher, inc 1 st once

Total: 57 - 65 - 71 - 77 - 83 sts

Step 3: When your work measures 19 - 23 - 27 - 30,5 - 34 cm from the beginning, shape the slope. On each edge, bind off:

3 sts once, 2 sts once and 1 st 3 times, 4 rows higher, bind off 1 st once, 6 rows higher, bind off 1 st once, 4 rows higher, bind off 1 st once, on the following rows, bind off 1 st once, 2 sts once and 3 sts twice

3 sts once, 2 sts twice and 1 st 5 times, 4 rows higher, bind off 1 st once, on the following rows, bind off 1 st 4 times, 2 sts twice and 3 sts once

3 sts twice, 2 sts twice and 1 st 4 times, then every 4 rows, bind off 1 st twice, on the following rows, bind off 1 st 4 times, 2 sts twice and 3 sts once

3 sts twice, 2 sts twice and 1 st 4 times, then every 4 rows, bind off 1 st twice, on the following rows, bind off 1 st 4 times, 2 sts twice and 3 sts twice

4 sts once, 3 sts once, 2 sts twice and 1 st 4 times, then every 4 rows, bind off 1 st 4 times, on the following rows, bind off 1 st 3 times, 2 sts twice, 3 sts once and 4 sts once

Photo is non-contractual

Step 5: Bind off the remaining 17 sts.

Make the other sleeve in the same way.

POLO NECK

Step 1: Using 3.5 mm needles, cast on 83 - 89 - 95 - 101 - 101 sts and work in scalloped K2/P1 rib (see chart), beginning with 1 selvage st and the 1st st in the chart

Step 2: When the 5 rows in the chart have been worked, change to normal K2/P1 rib .

Step 3: When your work measures 12 cm from the beginning, work several rows of st st in yarn of a different color.

MAKE UP


Step 1: Sew the shoulder and side seams

Step 2: Sew the sleeve seams

Step 3: Join the sleeves to the body.

Step 4: Join the polo neck, matching the sts and using backstitch on the right side of your work; place the wrong side of the neck to the right side of the sweater, so the right side will be visible when it is folded down.

Step 5: Sew the neck seam and fold the neck down halfway to the outside.



De op de patronen zijn in cm
Measurements indicated in the diagrams are in cm

Chart for scalloped K2/P1 rib

