CHARLEINE Sweater

Fiche 282 T26 307

Easy level



YARN	COLOR	S	M	L	XL	XXL
P. IMPÉRIA	SOLEIL BLEU	13	14	15	16	17

STITCHES:
K2/P2 rib
Stockinette stitch (st st)
Reverse stockinette stitch (rev st st)

065962
3 665258 624902

Nr 16 TRUI CHARLEINE SWEATER

282 - T26 - 307



Gemakkelijk
Niveau
Easy level

Breiwerk Heen & weer
Back-and-forth knitting

TENSION SQUARE

13 sts and 18 rows to 10 cm measured over stockinette stitch using 6 mm needles

YARN	COLOR	S	M	L	XL	XXL
P. IMPÉRIA	SOLEIL BLEU	13	14	15	16	17

Composition: 75% mohair, 20% wool, 5% polyamide

MATERIALS:

1 pair of 6 mm knitting needles (or other, depending on your tension square)
1 pair of 5 mm knitting needles (only for the neck rib)
Stitch markers
Yarn needle
4 x 18 mm jewel buttons (not sold)

Abbreviations and STITCHES:

St(s) = stitch(es)
K1 = knit 1 st
P1 = purl 1 st
inc = increase(s)
dec = decrease(s)

K2/P2 rib:

1st row (RS): K2, P2 to the end of the row
2nd row: Work the sts as they are presented on the needle, i.e. K2 above a K2 or P2 above a P2 in the previous row
These 2 rows form the rib

Stockinette stitch (st st): alternate knit 1 row, purl 1 row
Reverse stockinette stitch (rev st st): alternate purl 1 row, knit 1 row

INSTRUCTIONS

Follow the instructions in the color that corresponds to the size you are knitting.

BACK

Step 1: Using 6 mm needles, cast on 80 - 84 - 88 - 92 - 100 sts and work in K2/P2 rib (see STITCHES) for 10 cm, beginning and ending the 1st row with K3.

Step 2: Using 6 mm needles, work in st st and reverse st st (see STITCHES). Dec 1 - dec 1 - dec 1 - inc 1 - inc 1 at the center of the row, working as follows:
5 sts in rev st st, 69 - 73 - 77 - 83 - 91 sts in st st and 5 sts in rev st st.

Total: 79 - 83 - 87 - 93 - 101 sts

Step 3: When your work measures 12 cm from the beginning, place a marker on the 1st and last st to indicate the start of the side seam.

Step 4: When your work measures 36.5 cm from the beginning, shape the armholes. On each edge, bind off 2 sts once and 1 st 3 times.
Then work in st st on the remaining 69 - 73 - 77 - 83 - 91 sts.

Step 5: When your work measures 58.5 - 59.5 - 60.5 - 61.5 - 62.5 cm from the beginning, shape the shoulders. On each edge, bind off:
5 sts 4 times
5 sts twice and 6 sts twice
6 sts 4 times
6 sts twice and 7 sts twice
7 sts twice and 8 sts twice

Step 6: Meanwhile, when your work measures 60 - 61 - 62 - 63 - 64 cm from the beginning, shape the neck. Bind off the center 15 - 15 - 15 - 17 - 17 sts, then finish 1 side at a time. On the neck edge, bind off 7 sts once.

FRONT

Step 1: Using 6 mm needles, cast on 80 - 84 - 88 - 92 - 100 sts and work in K2/P2 rib (see STITCHES) for 10 cm, beginning and ending the 1st row with K3.

Step 2: Using 6 mm needles, work in st st and reverse st st (see STITCHES). Dec 1 - dec 1 - dec 1 - inc 1 - inc 1 at the center of the row, working as follows:
5 sts in rev st st, 69 - 73 - 77 - 83 - 91 sts in st st and 5 sts in rev st st.
Total: 79 - 83 - 87 - 93 - 101 sts

Step 3: When your work measures 12 cm from the beginning, place a marker on the 1st and last st to indicate the start of the side seam.

Step 4: When your work measures 36.5 cm from the beginning, shape the armholes. On each edge, bind off 2 sts once and 1 st 3 times.
Then work in st st on the remaining 69 - 73 - 77 - 83 - 91 sts.

Step 5: When your work measures 52 - 53 - 54 - 55 - 56 cm from the beginning, shape the neck. Bind off the center 11 - 11 - 11 - 13 - 13 sts, then finish 1 side at a time. On the neck edge, bind off 3 sts once, 2 sts once and 1 st 3 times, 4 rows higher, bind off 1 st once.

Step 6: When your work measures 58.5 - 59.5 - 60.5 - 61.5 - 62.5 cm from the beginning, shape the shoulder. On the armhole edge, bind off:
5 sts 4 times
5 sts twice and 6 sts twice
6 sts 4 times
6 sts twice and 7 sts twice
7 sts twice and 8 sts twice
Finish the other side.

SLEEVES

Step 1: Using 6 mm needles, cast on 58 - 62 - 62 - 66 - 70 sts and work in K2/P2 rib (see STITCHES) for 8 cm, beginning and ending the 1st row with K2. Then work 1 row for the turnback fold (purl this row on the right side of your work), then change to 5 mm needles and continue in K2/P2 rib.

Step 2: When your work measures 16 cm from the beginning, change to 6 mm needles and st st (see STITCHES). Dec 1 - inc 1 - dec 1 - dec 1 st at the beginning of the row.
Total: 58 - 61 - 63 - 65 - 69 sts

Step 3: When your work measures 45.5 - 45 - 44 - 43 - 41 cm from the beginning, shape the slope. On each edge, bind off 2 sts once and 1 st 3 times.
Total: 48 - 51 - 53 - 55 - 59 sts. Bind off.

Locate the center of the sleeve and place a marker (point M).

Make the other sleeve in the same way.

NECK

Step 1: Using 5 mm needles, cast on 92 - 92 - 92 - 96 - 96 sts.

Step 2: Work in K2/P2 rib (see STITCHES), beginning and ending the 1st row with K3.

Step 3: When your work measures 20 cm from the beginning, bind off all the sts.

MAKE UP

Step 1: Place the Back and Front together with the right sides facing. Sew the shoulder seams, using backstitch and following the green lines in the diagrams.

Photo is non-contractual
« **EXCLUSIVE MODELS** » all commercial reproduction is prohibited without special authorisation from **PHILDAR**
PP YARNS & Co Editeur RCS 808 534 895 ©PHILDAR October 2026

Step 2: Place 1 sleeve between the markers at the Back and Front.
Place the sleeve and the body together with the right sides facing.
Place point M on the sleeve to point M on the shoulder seam.
Join the sleeve to the body, using backstitch and following the red lines in the diagram.
Join the other sleeve in the same way.

Step 3: Sew the side seams, using concealed stitching and following the blue lines in the diagram; leave the bottom 12 cm free for the slit.

Step 4: Sew the sleeve seams in the same way, following the yellow lines in the diagram and reversing the seam over the first 8 cm of K2/P2 rib for the turnback.

Step 5: Join the neck, using backstitch on the right side of your work and overlapping the ends at the left front 3 cm from the shoulder (see photo).

Step 6: Sew the buttons for decoration as follows:

Overlap the ends of the neck by 2.5 cm and sew the 1st button 3.5 cm from the bottom, sewing through both layers; then sew the 2nd button in the same way 6 cm higher.
Fold the neck outwards and sew the next 2 buttons on the front of the neck through just 1 layer (so the buttons will be visible once the neck is turned back: see photo). Sew the 1st of these buttons 1.5 cm from the end of the neck and the other button 6 cm further on.



Measurements indicated in the diagram are in cm

⬭ = stitch marker

M = center sleeve and shoulder seam