CAMILLA Sweater

Fiche 282 T26 306

5

Expert level



YARN	COLOR	S	M	L	XL	XXL
P. SOIE MÉRINOS	ECRU	5	6	6	7	7

STITCHES:
K1/P1 rib
Stockinette stitch (st st)
Pattern stitch

065972
3 665258 625206

Nr 26 **CAMILLA** SWEATER

282 - T26 - 306



Expert level

Back-and-forth knitting

TENSION SQUARE

33 sts and 59 rows to 20 cm measured over pattern stitch (slightly stretched), using 5 mm needles

YARN	COLOR	S	M	L	XL	XXL
P. SOIE MÉRINOS	ECRU	5	6	6	7	7

Composition: 60% Merino wool, 30% silk, 10% kid mohair

MATERIALS:

1 pair of 5 mm knitting needles
Stitch markers
Yarn needle
2 x 9 mm mother-of-pearl shank buttons, ref: 055150

STITCHES:

K1/P1 rib
Stockinette stitch (st st)
Pattern stitch (see chart. Important, only work a yo if it is compensated for by a decrease, and vice versa)

INSTRUCTIONS

Follow the instructions in the color that corresponds to the size you are knitting.

BACK

Step 1: Using 5 mm needles, cast on 74 - 74 - 84 - 94 - 104 sts and work in K1/P1 rib for 2 cm, then purl 1 row on the wrong side, decreasing 1 st at the beginning of the row.
Total: 73 - 73 - 83 - 93 - 103 sts

Step 2: Change to pattern st (see chart), beginning with 1 selvedge st and the 1st - 1st - 6th - 1st - 6th st in the colored frame.

Step 3: When your work measures 33 cm from the beginning, shape the armholes. On each edge, bind off:
3 sts once, 2 sts once and 1 st 3 times, then 4 rows higher, bind off 1 st once
1 st once, 2 sts once and 1 st 4 times, then 4 rows higher, bind off 1 st once
4 sts once, 2 sts twice and 1 st 3 times, then 4 rows higher, bind off 1 st once
4 sts once, 3 sts twice, 2 sts twice and 1 st twice, then 4 rows higher, bind off 1 st once
4 sts once, 3 sts 3 times, 2 sts twice and 1 st twice, then 4 rows higher, bind off 1 st once

Total: 55 - 57 - 59 - 59 - 63 sts

Step 4: When your work measures 51.5 - 52.5 - 53.5 - 54.5 - 56.5 cm from the beginning, form the back slit. Bind off the center st, then continue on 1 side at a time, increasing 1 st on the slit edge (= selvedge st).

Total: 28 - 29 - 30 - 30 - 32 sts

Step 5: When your work measures 54 - 55 - 56 - 57 - 58 cm from the beginning, shape the shoulder. On the armhole edge, bind off:
3 sts 3 times and 4 sts once
3 sts twice and 4 sts twice
3 sts once and 4 sts 3 times
3 sts once and 4 sts 3 times
4 sts 3 times and 5 sts once

At the same time as the 1st shoulder increase, shape the neck. On the slit edge, bind off: 7 sts once and 4 sts twice.

Finish the other side.

FRONT

Step 1: Using 5 mm needles, cast on 74 - 84 - 84 - 94 - 104 sts and work in K1/P1 rib for 2 cm, then purl 1 row on the wrong side, decreasing 1 st at the beginning of the row.

Total: 73 - 83 - 83 - 93 - 103 sts

Step 2: Change to pattern st (see chart), beginning with 1 selvedge st and the 1st - 1st - 6th - 1st - 6th st in the colored frame.

Step 3: When your work measures 33 cm from the beginning, shape the armholes. On each edge, bind off:
3 sts once, 2 sts once and 1 st 3 times, then 4 rows higher, bind off 1 st once
5 sts once, 2 sts twice and 1 st 3 times, then 4 rows higher, bind off 1 st once
4 sts once, 2 sts twice and 1 st 3 times, then 4 rows higher, bind off 1 st once
4 sts once, 3 sts twice, 2 sts twice and 1 st twice, then 4 rows higher, bind off 1 st once
4 sts once, 3 sts 3 times, 2 sts twice and 1 st twice, then 4 rows higher, bind off 1 st once

Total: 55 - 57 - 59 - 59 - 63 sts

Step 4: When your work measures 50 - 51 - 52 - 53 - 54 cm from the beginning, shape the neck. Bind off the center 11 sts, then continue on 1 side at a time. On the neck edge, bind off: 3 sts twice and 1 st twice, then 4 rows higher, bind off 1 st once

Step 5: Meanwhile, when your work measures 54 - 55 - 56 - 57 - 58 cm from the beginning, shape the shoulder. On the armhole edge, bind off:
3 sts 3 times and 4 sts once
3 sts twice and 4 sts twice
3 sts once and 4 sts 3 times
3 sts once and 4 sts 3 times
4 sts 3 times and 5 sts once

Step 6: Finish the other side.

SLEEVES

Step 1: Using 5 mm needles, cast on 36 - 40 - 42 - 46 - 50 sts and work in K1/P1 rib for 2 cm.

Step 2: Change to pattern st (see chart), beginning at the 7th row with 1 selvedge st, K1 and the 1st st - K3 and the 1st st - and the 7th st - K1 and the 6th st - K3 and the 6th st in the colored frame, and decreasing 1 st at the end of the row.

Total: 35 - 39 - 41 - 45 - 49 sts

Increase on each edge (keeping the pattern st correct whenever possible):
every 10 rows, inc 1 st 12 times
every 10 rows, inc 1 st 12 times
every 10 rows, inc 1 st 8 times, then every 8 rows, inc 1 st 5 times
every 10 rows, inc 1 st 4 times, then every 8 rows, inc 1 st 10 times
every 10 rows, inc 1 st 4 times, then every 8 rows, inc 1 st 10 times

Total: 59 - 63 - 67 - 73 - 77 sts

Step 3: When your work measures 45.5 cm from the beginning, shape the slope. On each edge, bind off:
3 sts once, 2 sts 3 times and 1 st twice, 4 rows higher, bind off 1 st once, every 6 rows, bind off 1 st 3 times, 4 rows higher, bind off 1 st once, on the following rows, bind off 2 sts twice and 3 sts once

Photo is non-contractual
« **EXCLUSIVE MODELS** » all commercial reproduction is prohibited without special authorisation from **PHILDAR**
PP YARNS & Co Editeur RCS 808 534 895 ©PHILDAR October 2026

3 sts twice, 2 sts twice and 1 st twice, 4 rows higher, bind off 1 st once, every 6 rows, bind off 1 st 3 times, 4 rows higher, bind off 1 st once, on the following rows, bind off 2 sts once and 3 sts twice
4 sts once, 3 sts once, 2 sts twice and 1 st twice, 4 rows higher, bind off 1 st once, every 6 rows, bind off 1 st 3 times, 4 rows higher, bind off 1 st once, on the following rows, bind off 2 sts once, 3 sts once and 4 sts once
4 sts once, 3 sts once, 2 sts 3 times and 1 st twice, 4 rows higher, bind off 1 st once, every 6 rows, bind off 1 st twice, 4 rows higher, bind off 1 st once, on the following rows, bind off 1 st twice, 2 sts once, 3 sts once and 4 sts once
4 sts once, 3 sts once, 2 sts 3 times and 1 st 4 times, 4 rows higher, bind off 1 st once, 6 rows higher, bind off 1 st once, 4 rows higher, bind off 1 st once, on the following rows, bind off 1 st 3 times, 2 sts once, 3 sts once and 4 sts once

Step 4: Bind off the remaining 13 sts.

Make the other sleeve in the same way.

NECK

Step 1: Using 5 mm needles, cast on 73 sts and work in pattern st (see chart), beginning at the 1st row with 1 selvedge st and the 1st st in the chart.

Step 2: When your work measures 8.5 cm (26 rows) from the beginning, knit 1 row on the right side of your work, then work several rows of st st in yarn of a different color

MAKE UP

Step 1: Sew the shoulder and side seams.


Step 2: Sew the sleeve seams.

Step 3: Join the sleeves to the body (Important: the seams are offset for size M: see the diagram with red lines)

Step 4: Join the neck, matching the sts and using backstitch on the right side of your work, positioning the ends at the edge of the slit.


Step 5: Make 2 loop buttonholes, with the 1st buttonhole at the top neck and the second buttonhole 5 cm lower.

Step 6: Sew the buttons.



Measurements indicated in the diagrams are in cm

Chart for pattern st



repeat the 10 sts and 20 rows in the colored frame

Important: only work a yo if it is compensated for by a decrease, and vice versa

= leesrichting - direction of worlk

= selvedge st

= K1 (RS) or P1 (WS)

= 1 yo

= SKP: sl1 knitwise, K1, then psso

= K2tog (RS)

= double vertical dec (RS): in a group of 3 sts, slip the firstt 2 sts as if to knit together, knit the next st, then pass the sl2 over this new st